

Abandon Facilities

Bruce Campbell, MISS DIG 811

The Problem

- Increase in utilities being buried underground.
- Directional drilling has decreased the cost to bury facilities.
- Many ordinances are vague or non-existent when addressing the requirements for abandon facilities.



“Michigan DOT does not allow abandonment of facilities within the ROW. We only allow a utility to place a utility line out of service. This is intended to indicate that the utility company is still the owner of the facility and is still required to maintain records for future transportation improvements and remove the line at their cost if necessary.”

In Michigan

Michigan Public Act 174 of 2013

"Facility" or "underground facility" means an underground or submerged conductor, pipe, or structure, including, but not limited to, a conduit, duct, line, pipe, wire, or other device and its appurtenances **used** to produce, store, transmit, or distribute a utility service, including communications, data, cable television, electricity, heat, natural or manufactured gas, oil, petroleum products, steam, sewage, video, water, and other similar substances, including environmental contaminants or hazardous waste.

How MISS DIG 811 Can Help


Abandon Facility Database and Auto Response

Abandon Facility Code

- **Used by:** Members who ABANDON or place facilities OUT OF SERVICE
- **Benefits:**
 - Provides notice to contractor that there are idle lines in the area via Positive Response
 - Can provide notice to the member when work is occurring near the facility
 - When the Facility is uncovered use, status and owner can be determined.

How it Works . . .

- Similar to Member codes for a facility, an member code will be established for the abandon/ out of service line(s)
- The notification area will be limited to the location of the lines. Reduced or expanded buffers can be determined by the member



How it Works . . .

Full Ticket Intent of Purpose Help Abort

Caller Information
Phone 248-630-6366 Lookup Ext 1.0.40
Caller LAURA ARNOLD
Company MISS DIG 811
Address 4151 EAGLES NEST DRIVE

Mapping
Eagle Nest Dr

New Ticket
Begin Time
Emergency? No 02:52
Begin Date Mon Jan 22, 2018 Time 02:49 PM ET NORM
Good Till Mon Feb 12, 2018 11:59 PM ET Now Legal

Additional Questions
21 day project? No Joint Meet Request? No

Member Contact Info

ATTD	AT&T	PHON	RCVR	800-762-0592	USIC DISPATCH
CECO	CONSUMERS ENERGY	LOCT	RCVR	248-877-7744	KURT GOLDING - CSR DO NOT CALL
CEGDIS	CONSUMERS ENERGY GAS DISTRIBUTION	GAS	RCVR	800-778-9140	USIC CORPORATE DISPATCH
COMT13	COMCAST	CATV	RCVR	586-803-3516	URG
COMT13FBR	COMCAST	FIBR	RCVR	586-803-3516	URG
COMTV8	COMCAST	CATV	RCVR	586-803-3516	URG
COMTV8FBR	COMCAST	FIBR	RCVR	586-803-3516	URG
DE0010	DETROIT EDISON	ELEC	RCVR	586-803-3516	URG CORPORATE DISPATCH
SMP07	SM&P UTILITY RESOURCES	LOCT	RCVR	800-778-9140	USIC DISPATCH
URG	UTILITY RESOURCE GROUP LLC	LOCT	RCVR	586-803-3516	702 CAD CASEY-DISPATCH
WATERF	WATERFORD TOWNSHIP	LOCT	RCVR	248-618-7408	LORI MCKEE/MARY B
WATERFSANI	WATERFORD TOWNSHIP	SANI	RCVR	248-618-7409	CONNIE GOLDING/LORI MCKEE
WATERFWTR	WATERFORD TOWNSHIP	WATR	RCVR	248-618-7409	CONNIE GOLDING/LORI MCKEE

Member Information

Set Mbrs	Mbr Info	Add	Rem	Rem All
D	AT&T	PHON	S	
O	CONSUMERS ENERGY	LOCT	Y	
DIS	CONSUMERS ENERGY GAS DISTRIBUTION	GAS	S	
IT13	COMCAST	CATV	S	
IT13FBR	COMCAST	FIBR	S	
ITV8	COMCAST	CATV	P	
ITV8FBR	COMCAST	FIBR	P	
010	DETROIT EDISON	ELEC	S	
07	SM&P UTILITY RESOURCES	LOCT	Y	
TCE	CONSUMERS ENERGY TEST CODE - P	LOCT	Y	
	UTILITY RESOURCE GROUP LLC	LOCT	Y	
TERF	WATERFORD TOWNSHIP	LOCT	Y	
TERFSANI	WATERFORD TOWNSHIP	SANI	S	
TERFWTR	WATERFORD TOWNSHIP	WATR	S	

In-House Comments

Retransmit/Cancel Info

Submit

Print Exit

- The name and contact for the facility will be stored in the member code.
- MISS DIG 811 can provide the contact information when the line is uncovered.

How it Works . . .

- If ownership transfer, the member code and notification area will reflect the new owners name and contact information.
- Should the line be abandon, MISS DIG 811 will hold ownership of the member code. This will:
 - Keep contractors notified of the line.
 - Provide a record of ownership.



How it Works . . .

Information for ticket A				
Work Date	Response Due	County	Place	Street Address
01/05/18 08:17:00	01/05/18 08:18:00	OAKLAND	LYON /T	

If your work date is before the response due date you are in violation of Public Act 174 of 2013. For more information please visit our [website](#) or call 811.

Scope of Work
LOCATE FRONT OF LOT

Responses for ticket A

Member	Name	Type	Revision	Response	Description	Marked
ATTD	AT&T	NEW	00A	001	NO CONFLICT	01/04/18
ABNTESGAS	TEST MEMBER ABANDON GAS	NEW	00A	012	POSSIBLE ABANDON FACILITY	01/04/18
CEGTRN	CONSUMERS ENERGY - GAS TRANSMISSION	NEW	00A	001	NO CONFLICT	01/02/18
COMT29	COMCAST	NEW	00A	001	NO CONFLICT	01/03/18
COMT29FBR	COMCAST	NEW	00A	001	NO CONFLICT	01/02/18
DE0003	DETROIT EDISON	NEW	00A	001	NO CONFLICT	01/03/18
LEVEL3	000 RESPONSE PENDING					01/02/18
LYONTSANI	001 NO CONFLICT					01/03/18
LYONTSTRM	002 MARKED					01/02/18
LYONTWTR	003 NOT COMPLETE					01/03/18
OAKCDRSTRM	004 MARKED-UTILITY REQUIRED ON SITE DURING EXCAVATION				MARKING	01/02/18
OAKCDRSTRM	005 ON GOING COORDINATION					01/03/18
OAKCRCELE	006 NOT MARKED-NO ACCESS TO WORK AREA					01/03/18
OAKCRCTRF	007 STATED SCOPE OF WORK COMPLETED					01/03/18
SLCS	008 FACILITY RESPONSE NOT REQUIRED					01/02/18

Attention: The following
GREEN- Dig with caution
YELLOW- Contact facility
RED- Do not Dig

- When the work area of a ticket overlaps the notification area of the Abandon/ Not in Use line. The Member will appear on the ticket.
- Similar to Drain Commission's the member will have the ability to respond to the ticket or an auto-generated Positive Response will be used.



Annual Membership Meeting & Design Summit

March 15 and 16, 2018

Soaring Eagle Casino, Mt. Pleasant